

# Express Scripts Holding Company NCPDP Version D.0 Payer Sheet WellPoint Medicaid

**IMPORTANT NOTE: Express Scripts is currently accepting NCPDP Version D.0 electronic transactions. This documentation is to be used for programming the fields and values Express Scripts will accept when processing these claims.**

**Claim transaction segments not depicted within this document may be accepted during the transmission of a claim. However, Express Scripts may not use the information submitted to adjudicate claims.**

## General Information:

Payer Name: Express Scripts Holding Company	Date: <b>March 1, 2013</b>
Plan Name/Group Name: Express Scripts, Inc. - Standard Plan - Exceptions Noted	
Processor: Express Scripts, Inc.	Switch:
<b>Effective as of: March 1, 2013</b>	Version/Release Number: D.0
NCPDP Data Dictionary Version Date: October 2011	NCPDP External Code List Version Date: October 2011
	NCPDP Emergency External Code List Version Date: July 2012
Contact/Information Source: Network Contracting & Management Account Manager, or (800) 824-0898, or <a href="http://Express-Scripts.com">Express-Scripts.com</a>	
Testing Window: As determined by testing coordinator	
Pharmacy Help Desk Info: (800) 824-0898	
Other versions supported: N/A	

"Materials Reproduced With the Consent of  
©National Council for Prescription Drug Programs, Inc.  
2008 NCPDP"

---

## Section I: Claim Billing (In Bound)

---

### Transaction Header Segment - Mandatory in all cases

Field #	NCPDP Field Name	Value	Payer Usage
1Ø1-A1	BIN Number	<b>61ØØ53</b> or <b>61Ø575</b> (Check ID card to determine correct number)	M
1Ø2-A2	Version Release Number	DØ=Version D.0	M
1Ø3-A3	Transaction Code	B1=Billing	M
1Ø4-A4	Processor Control Number	PCN=Not required PCN=TROOP (Only use when secondary to Medicare Part D)	M
1Ø9-A9	Transaction Count	1=One Occurrence 2=Two Occurrences 3=Three Occurrences 4=Four Occurrences	M
2Ø2-B2	Service Provider ID Qualifier	Ø1=NPI	M
2Ø1-B1	Service Provider ID	<b>Pharmacy or Dispensing Physician NPI</b>	M
4Ø1-D1	Date of Service		M
11Ø-AK	Software Vendor/Certification ID		M

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

**Insurance Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø4=Insurance	M
3Ø2-C2	Cardholder ID	ID assigned to the cardholder	M
312-CC	Cardholder First Name		R
313-CD	Cardholder Last Name		R
524-FO	Plan ID		R*
3Ø9-C9	Eligibility Clarification Code	Ø=Not Specified 1=No Override 2=Override 3=Full Time Student 4=Disabled Dependent 5=Dependent Parent 6=Significant Other	R
3Ø1-C1	Group ID	As appears on card	R
3Ø3-C3	Person Code		R
3Ø6-C6	Patient Relationship Code	Ø=Not Specified 1=Cardholder – Individual who is enrolled in and receives benefits from a health plan 2=Spouse – Patient is the husband/wife/partner of the cardholder 3=Child – Patient is a child of the cardholder 4=Other – Relationship to cardholder is not precise	R
359-2A	Medigap ID		O

\*Field 524-FO will be used when the Health Plan ID is enumerated and will be populated in this field.

**Patient Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø1=Patient	M
331-CX	Patient ID Qualifier		O
332-CY	Patient ID	As indicated on member ID card	O
3Ø4-C4	Date of Birth		R
3Ø5-C5	Patient Gender Code	1=Male 2=Female	R
31Ø-CA	Patient First Name	Example: John	R
311-CB	Patient Last Name	Example: Smith	R
322-CM	Patient Street Address		O
323-CN	Patient City		O
324-CO	Patient State or Province		O
325-CP	Patient Zip/Postal Code		RW Emergency/Disaster Situations; include current ZIP code of displaced patient
3Ø7-C7	Place of Service	Ø1 = Pharmacy	R
384-4X	Patient Residence		R

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

**Claim Segment – Mandatory** (Payer does not support partial fills)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø7=Claim	M
455-EM	Prescription/Service Reference Number Qualifier	Ø1=Rx Billing *Pharmacist should enter a “1” when processing claim for a vaccine drug and vaccine administration	M
4Ø2-D2	Prescription/Service Reference Number		M
436-E1	Product/Service ID Qualifier	ØØ=Not Specified* Ø3=National Drug Code	M
4Ø7-D7	Product/Service ID*		M
442-E7	Quantity Dispensed		R
4Ø3-D3	Fill Number	Ø=Original Dispensing 1 to 99=Refill number	R
4Ø5-D5	Days Supply		R
4Ø6-D6	Compound Code	1=Not a Compound 2=Compound*	R *Requires the compound segment to be sent
4Ø8-D8	Dispense as Written (DAW)/Product Selection Code	<p>Ø=<u>No Product Selection Indicated</u> - Field default value that is appropriately used for prescriptions for single source brand, co-branded/co-licensed, or generic products. For a multi-source branded product with available generic(s), DAWØ is not appropriate, and may result in a reject.</p> <p><u>1=Substitution Not Allowed by Prescriber</u> - This value is used when the prescriber indicates, in a manner specified by prevailing law, that the product is Medically Necessary to be Dispensed As Written. DAW1 is based on prescriber instruction and not product classification.</p> <p><u>2=Substitution Allowed-Patient Requested Product Dispensed</u> -This value is used when the prescriber has indicated, in a manner specified by prevailing law, that generic substitution is permitted and the patient requests the brand product. This situation can occur when prescriber writes the prescription using either the brand or generic name and the product is available from multiple sources.</p> <p><u>3=Substitution Allowed-Pharmacist Selected Product Dispensed</u> -This value is used when the prescriber has indicated, in</p>	R

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

		<p>a manner specified by prevailing law, that generic substitution is permitted and the pharmacist determines that the brand product should be dispensed. This can occur when prescriber writes the prescription using either the brand or generic name and the product is available from multiple sources.</p> <p><u>5=Substitution Allowed-Brand Drug Dispensed as a Generic</u> -This value is used when the prescriber has indicated, in a manner specified by prevailing law, that generic substitution is permitted and the pharmacist is utilizing the brand product as the generic entity.</p> <p><u>7=Substitution Not Allowed-Brand Drug Mandated by Law</u> -This value is used when the prescriber has indicated, in a manner specified by prevailing law, that generic substitution is permitted but prevailing law or regulation prohibits substitution of a brand product even though generic versions of the product may be available in the marketplace.</p>	
414-DE	Date Prescription Written		R
415-DF	Number of Refills Authorized	Ø=No refills authorized 1 through 99, with 99 being as needed, refills unlimited	R
419-DJ	Prescription Origin Code	Ø=Not known 1=Written 2=Telephone 3=Electronic 4=Facsimile 5=Pharmacy	R
354-NX	Submission Clarification Code Count	Maximum count of 3	RW (Submission Clarification Code (42Ø -DK) is used)
42Ø -DK	Submission Clarification Code		RW (Clarification is needed and value submitted is greater than zero Ø). The value of 2 is used to respond to a Max Daily Dose/High Dose Reject.)

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

308-C8	Other Coverage Code	<p>Ø=Not Specified by patient  1=No other coverage  2=Other coverage exists - payment collected**  3=Other coverage billed - claim not covered**  4=Other coverage exists - payment not collected**  8=Claim is billing for patient financial responsibility only**</p>	R
454-EK	Scheduled Prescription ID Number		RW (Necessary for state/federal/regulatory agency program)
600-28	Unit of Measure	<p>EA=Each  GM=Grams  ML=Milliliters</p>	O
418-DI	Level of Service	<p>Ø=Not specified  1=Patient consultation (professional service involving provider/patient discussion of disease, therapy or medication regimen or other health issues)  2=Home delivery—provision of medications from pharmacy to patient's place of residence  3=Emergency—urgent provision of care  4=24-hour service—provision of care throughout the day and night  5=Patient consultation regarding generic product selection—professional service involving discussion of alternatives to brand-name medications  6=In-Home Service—provision of care in patient's place of residence</p>	O
461-EU	Prior Authorization Type Code	<p>Ø=Not specified  1=Prior Authorization  9=Emergency Preparedness***</p>	RW (462-EV is used. Other valid values are accepted as required by State Medicaid Agencies)
462-EV	Prior Auth Number Submitted	<p>Submitted when requested by processor.  <u>Examples:</u> Prior authorization procedures for physician authorized dosage or days supply increases for reject 79 'Refill Too Soon'.</p>	RW (461-EU is equal to 1 or 9)

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

357-NV	Delay Reason Code		RW (Needed to specify the reason that submission of the transaction has been delayed)†
995-E2	Route of Administration		RW (Required for Compounds)
147-U7	Pharmacy Service Type	Ø1= Community/Retail Pharmacy Services Ø3= Home Infusion Therapy Services Ø5= Long Term Care Pharmacy Services	R

\*The Product/Service ID (4Ø7-D7) must contain a value of "Ø" and Product/Service ID Qualifier (436-E1) must contain a value of "ØØ" when used for multi-ingredient compounds.

\*\*Requires the COB to be sent.

\*\*\*For value "9=Emergency Preparedness" Field 462-EV *Prior Authorization Number Submitted* supports the following values when an emergency healthcare disaster has been officially declared by the appropriate U.S. government agency.

911ØØØØØØØ1 Emergency Preparedness (EP) Refill Too Soon Edit Override

†All values are accepted. Values of 1, 2, 7, 8, 9, 10 may be allowed to override Reject 81 (Claim Too Old) for member claims UPGRADED to the new adjudication system.

**Pricing Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	11=Pricing	M
4Ø9-D9	Ingredient Cost Submitted		R
412-DC	Dispensing Fee Submitted		R
433-DX	Patient Paid Amount Submitted		O
438-E3	Incentive Amount Submitted		RW (Value has an effect on Gross Amount (43Ø-DU) calculation)
481-HA	Flat Sales Tax Amount Submitted		RW (Value has an effect on Gross Amount (43Ø-DU) calculation)
482-GE	Percentage Sales Tax Amount Submitted		RW (Value has an effect on Gross Amount (43Ø-DU) calculation)
483-HE	Percentage Sales Tax Rate Submitted		RW (Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Basis)

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

			Submitted (484-JE) are used)
484-JE	Percentage Sales Tax Basis Submitted		RW (Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Basis Submitted (484-JE) are used)
426-DQ	Usual and Customary Charge		R
430-DU	Gross Amount Due		R
423-DN	Basis of Cost Determination*		R

\*All valid values are accepted. A value of "8" or "9" is accepted in field 423-DN for 340B dispensed drugs per State Medicaid requirements.

**Prescriber Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø3=Prescriber	M
466-EZ	Prescriber ID Qualifier*	Ø1=NPI Ø8 = State License 12 = DEA (Drug Enforcement Administration)	R
411-DB	Prescriber ID	NPI*	R
427-DR	Prescriber Last Name		RW (Prescriber ID Qualifier (466-EZ) = Ø8)
367-2N	Prescriber State/Province Address		RW (Prescriber ID Qualifier (466-EZ) = Ø8, 12)

Express Scripts edits the qualifiers in field 466-EZ. A valid Prescriber ID is required for all claims. Claims unable to be validated may be subject to post-adjudication review.

\*For vaccines, an individual NPI is required. It may be the prescriber who wrote the prescription or alternate care provider (pharmacist, nurse practitioner, etc.) who administered the vaccine.

**Coordination of Benefits/Other Payments Segment – Situational**

(Will support one transaction per transmission)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø5=COB/Other Payments	M
337-4C	Coordination of Benefits/Other Payments Count	Maximum count of 3	M
338-5C	Other Payer Coverage Type		M
339-6C	Other Payer ID Qualifier	Ø3 = BIN Ø5 = Medicare Carrier Number	RW (Other Payer ID 340-7C is used)

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

340-7C	Other Payer ID		R
443-E8	Other Payer Date	Payment date of claim submitted to the other payer (CCYYMMDD)	R
341-HB	Other Payer Amount Paid Count	Maximum count of 3	R
342-HC	Other Payer Amount Paid Qualifier	07=Drug Benefit 10=Sales Tax	R
431-DV	Other Payer Amount Paid	Valid value of greater than \$0 to reflect sum of Other Payer Amount Paid Qualifier	R
471-5E	Other Payer Reject Count	Maximum count of 5	R
472-6E	Other Payer Reject Code		R
353-NR	Other Payer – Patient Responsibility Amount Count	Maximum count of 13	RW (Other Payer-Patient Responsibility Amount Qualifier (351-NP) is used.
351-NP	Other Payer – Patient Responsibility Amount Qualifier		RW (Other Payer-Patient Responsibility Amount (352-NQ) is used.
352-NQ	Other Payer – Patient Responsibility Amount		RW (Necessary for Patient Financial Responsibility Only Billing)
392-MU	Benefit Stage Count	Maximum count of 4	RW (Secondary to Medicare)
393-MV	Benefit Stage Qualifier	Occurs up to 4 times	RW (Secondary to Medicare)
394-MW	Benefit Stage Amount		RW (Secondary to Medicare)

The COB segment and all required fields must be sent if the Other Coverage Code (308-C8) field with values = 2 through 4 or 8 are submitted in the claim segment.

**Note:** If field 308-C8 (Other Coverage Code) is populated with:

- Value of 2 = Other coverage exists – payment collected; fields 341-HB, 342-HC and 431-DV are required and must have values entered. Field 431-DV must **not** be zero (\$0.00). The sum of all occurrences must not be zero.
- Value of 3 = Other coverage billed – claim not covered; fields 471-5E and 472-6E are required and must have values entered.
- Value of 4 = Other coverage exists – payment not collected; fields 341-HB, 342-HC and 431-DV are required and must have values entered. Field 431-DV must be zero (\$0.00). The sum of all occurrences must be zero.
- Value of 8 = Claim is billing for patient financial responsibility only; fields 353-NR, 351-NP and 352-NQ are required and must have values entered.

**DUR/PPS Segment – Situational**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	08=DUR/PPS	M
473-7E	DUR/PPS Code Counter	1=Rx Billing (Maximum of 9 occurrences)	R
439-E4	Reason for Service Code	DA=Drug-Allergy DC=Drug-Disease (Inferred) DD=Drug-Drug Interaction**	R



**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

		HD=High Dose (Maximum Daily Dose) ID=Ingredient Duplication LD=Low Dose (Minimum Daily Dose) PG=Drug-Pregnancy SX=Drug-Gender TD=Therapeutic Duplication SD=Suboptimal Drug/Indication	
44Ø-E5	Professional Service Code	ØØ=No intervention MØ=Prescriber consulted** PE=Patient education/instruction PØ=Patient consulted RØ=Pharmacist consulted other source MA=Medication Administered – indicates the administration of a covered vaccine* **	R
441-E6	Result of Service Code	1A=Filled As Is, False Positive 1B=Filled As Is 1C=Filled, With Different Dose 1D=Filled, With Different Directions 1E=Filled, With Different Drug 1F=Filled, With Different Quantity 1G=Filled, With Prescriber Approval** 2A=Prescription Not Filled 2B=Not Filled, Directions Clarified 3C=Discontinued Drug 3E=Therapy Changed 3H=Follow-Up/Report	R
474-8E	DUR/PPS Level of Effort	Ø=Not Specified 11=Level 1 (Lowest) 12=Level 2 13=Level 3 14=Level 4	R

\*Indicates the claim billing includes a charge for the administration of the vaccine; leave blank if dispensing vaccine without administration.

\*\*Indicates the code value accepted for member claims UPGRADED to the new adjudication system. All other codes are still accepted for legacy Express Scripts plan sponsors that have not been upgraded to the new system.

**Compound Segment – Situational** (Must be present on a compound claim)

(Will support only one transaction per transmission)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	1Ø=Compound	M
45Ø-EF	Compound Dosage Form Description Code		M
451-EG	Compound Dispensing Unit Form Indicator	1=Each 2=Grams 3=Milliliters	M
447-EC	Compound Ingredient Component Count	Maximum 25 ingredients	M

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

488-RE	Compound Product ID Qualifier	Ø3=NDC	M "R"
489-TE	Compound Product ID	At least 2 ingredients and 2 NDC #s. Number should equal field 447-EC.	M "R"
448-ED	Compound Ingredient Quantity		M "R"
449-EE	Compound Ingredient Drug Cost		M "R"
49Ø-UE	Compound Ingredient Basis of Cost Determination		R "R"

**Clinical Segment – Situational**

This segment may be required as determined by benefit design. When the segment is submitted, the fields defined below are required.

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	13=Clinical	M
491-VE	Diagnosis Code Count	Maximum count of 5	R
492-WE	Diagnosis Code Qualifier		R
424-DO	Diagnosis Code		R

---

**Section II: Response Claim Billing (Out Bound)**

---

**Response Header Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
1Ø2-A2	Version Release Number	DØ =Version D.Ø	M
1Ø3-A3	Transaction Code	B1=Billing	M
1Ø9-A9	Transaction Count	1=One Occurrence 2=Two Occurrences 3=Three Occurrences 4=Four Occurrences	M
5Ø1-F1	Header Response Status	A=Accepted R=Rejected	M
2Ø2-B2	Service Provider ID Qualifier	Ø1=NPI	M
2Ø1-B1	Service Provider ID	NPI	M
4Ø1-D1	Date of Service		M

**Response Message Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	2Ø=Response Message	M
5Ø4-F4	Message		O

**Response Insurance Segment – Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	25=Response Insurance	M
3Ø1-C1	Group ID		O*

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

524-FO	Plan ID		RW* (Needed to identify the actual plan ID used when multiple group coverage exists)
545-2F	Network Reimbursement ID	Network ID	R
568-J7	Payer ID Qualifier		O
569-J8	Payer ID		O
302-C2	Cardholder ID		R

\*The Group ID (301-C1) or Plan ID (524-FO) field may be returned on all paid claim responses until January 1, 2014.

**Response Status Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	21=Response Status	M
112-AN	Transaction Response Status	P=Paid D=Duplicate of Paid R=Reject	M
503-F3	Authorization Number		RW (Transaction Response Status = P)
510-FA	Reject Count	Maximum count of 5	RW (Transaction Response Status = R)
511-FB	Reject Code		RW (Transaction Response Status = R)
546-4F	Reject Field Occurrence Indicator		RW (If repeating field is in error to identify repeating field occurrence)
130-UF	Additional Message Information Count		RW (Additional Message (526-FQ) is used)
132-UH	Additional Message Information Qualifier	01 – 09 = Free-Form Text 10 = Next Available Fill Date (CCYYMMDD)	RW (Additional Message (526-FQ) is used)
526-FQ	Additional Message Information		RW (Additional text is needed for clarification or detail)

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

131-UG	Additional Message Information Continuity		RW (Current repetition of Additional Message Information (526-FQ) is used and another repetition (526-FQ) follows, and text is continuation of the current)
549-7F	Help Desk Phone Number Qualifier		O
550-8F	Help Desk Phone Number		O
987-MA	URL		R

**Response Claim Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	22=Response Claim	M
455-EM	Prescription/Service Reference Number Qualifier	1=Rx Billing	M
402-D2	Prescription/Service Reference Number		M

**Response Pricing Segment – Mandatory**

(This segment will not be included with a rejected response)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	23=Response Pricing	M
505-F5	Patient Pay Amount		R
506-F6	Ingredient Cost Paid		R
507-F7	Dispensing Fee Paid		R
557-AV	Tax Exempt Indicator		R
558-AW	Flat Sales Tax Amount Paid		RW (Required if Flat Sales Tax Amount Submitted (481-HA) is greater than zero (∅) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at final reimbursement)

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

559-AX	Percentage Sales Tax Amount Paid		RW (Required if Percentage Tax Amount Submitted (482-GE) is greater than zero (Ø) or Percentage Sales Tax Rate Paid (56Ø-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used)
56Ø-AY	Percentage Sales Tax Rate Paid		RW (Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø))
561-AZ	Percentage Sales Tax Basis Paid	ØØ=Not specified Ø2=Ingredient Cost Ø3=Ingredient Cost + Dispensing Fee	O
521-FL	Incentive Amount Paid		O
566-J5	Other Payer Amount Recognized		O
5Ø9-F9	Total Amount Paid		R
522-FM	Basis of Reimbursement Determination		R
523-FN	Amount Attributed to Sales Tax		O
512-FC	Accumulated Deductible Amount		O
513-FD	Remaining Deductible Amount		O
514-FE	Remaining Benefit Amount		O
517-FH	Amount Applied to Periodic Deductible		O
518-FI	Amount of Copay		RW (Patient Pay Amount (5Ø5-F5) includes copay as patient financial responsibility)
52Ø-FK	Amount Exceeding Periodic Benefit Maximum		O
571-NZ	Amount Attributed to Processor Fee		O
575-EQ	Patient Sales Tax Amount		RW (Used when necessary to identify Patient's portion of the Sales Tax)

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

574-2Y	Plan Sales Tax Amount		RW (Used when necessary to identify Plan's portion of the Sales Tax)
572-4U	Amount of Coinsurance		RW (Patient Pay Amount (5Ø5-F5) includes coinsurance as patient financial responsibility)
577-G3	Estimated Generic Savings		RW (Patient selects brand drug when generic was available)
128-UC	Spending Account Amount Remaining		RW (If known when transaction had spending account dollars reported as part of the patient pay amount)
129-UD	Health Plan-Funded Assistance Amount		RW (Patient meets the plan-funded assistance criteria to reduce Patient Pay Amount (5Ø5-F5))
134-UK	Amount Attributed to Product Selection/Brand Drug		RW (Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand drug)

**Response DUR/PPS Segment - Situational**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	24=Response DUR/PPS	M
567-J6	DUR/PPS Response Code Counter	Maximum 3 occurrences supported	RW (Reason for Service Code (439-E4) is used)

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

439-E4	Reason for Service Code	AT=Additive Toxicity* DA=Drug-Allergy DC=Drug-Disease (Inferred) DD=Drug-Drug Interaction* ER=Overuse HD=High Dose (Maximum Daily Dose) ID=Ingredient Duplication LD=Low Dose (Minimum Daily Dose) PG=Drug-Pregnancy SX=Drug-Gender TD=Therapeutic Duplication SD = Suboptimal Drug/Indication	O
528-FS	Clinical Significance Code		O
529-FT	Other Pharmacy Indicator		O
530-FU	Previous Date of Fill		O
531-FV	Quantity of Previous Fill		O
532-FW	Database Indicator		O
533-FX	Other Prescriber Indicator		O
544-FY	DUR Free Text Message		O

\*Indicates the code value returned in response for member claims UPGRADED to the new adjudication system.

**Response Coordination of Benefits/Other Payers – Situational**

(This segment will not be included with a rejected response)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	28=Response Coordination of Benefits/Other Payers	M
355-NT	Other Payer ID Count	Maximum count of 3	M
338-5C	Other Payer Coverage Type		M
339-6C	Other Payer ID Qualifier		RW (Other Payer ID (340-7C) is used)
340-7C	Other Payer ID		RW (Other insurance information is available for COB)
991-MH	Other Payer Processor Control Number		RW (Other insurance information is available for COB)
356-NU	Other Payer Cardholder ID		RW (Other insurance information is available for COB)
992-MJ	Other Payer Group ID		RW (Other insurance information is available for COB)

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

142-UV	Other Payer Person Code		RW (Needed to uniquely identify family members within the Cardholder ID as assigned by other payer)
127-UB	Other Payer Help Desk Phone Number		RW (Needed to provide a support telephone number of the other payer to the receiver)

---

**Section III: Reversal Transaction (In Bound)**

---

**Transaction Header Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
1Ø1-A1	BIN Number	As submitted on original claim	M
1Ø2-A2	Version Release Number	DØ=Version D.Ø	M
1Ø3-A3	Transaction Code	B2=Reversal	M
1Ø4-A4	Processor Control Number	As submitted on original claim	M
1Ø9-A9	Transaction Count	1=One Occurrence, one reversal per B2 transmission	M
2Ø2-B2	Service Provider ID Qualifier	Ø1=NPI	M
2Ø1-B1	Service Provider ID	NPI	M
4Ø1-D1	Date of Service		M
11Ø-AK	Software Vendor/Certification ID		M

Note: Reversal window is 9Ø days.

**Insurance Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø4=Insurance	M
3Ø2-C2	Cardholder ID	ID assigned to the cardholder	M

**Claim Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø7=Claim	M
445-EM	Prescription /Service Reference Number Qualifier	1=Rx Billing	M
4Ø2-D2	Prescription/Service Reference Number		M
436-E1	Product/Service ID Qualifier	Ø3=National Drug Code	R
4Ø7-D7	Product/Service ID		R
4Ø3-D3	Fill Number		R



**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

308-C8	Other Coverage Code	0=Not Specified 1=No other coverage identified 2=Other coverage exists-payment collected* 3=Other coverage exists-this claim not covered* 4=Other coverage exists-payment not collected* 8=Claim is a billing for patient responsibility only*	R
--------	---------------------	---	---

\*Please use Other Coverage Code submitted on the original COB transaction.

**Coordination of Benefits/Other Payments Segment – Situational**  
(Will support only one transaction per transmission)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	05=COB/Other Payments	M
337-4C	Coordination of Benefits/Other Payments Count	Maximum count of 3	M
338-5C	Other Payer Coverage Type		M

---

**Section IV: Reversal Response Transaction (Out Bound)**

---

**Response Header Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
102-A2	Version Release Number	D0=Version D.0	M
103-A3	Transaction Code	B2=Reversal	M
109-A9	Transaction Count	1=One Occurrence, per B2 transmission	M
501-FI	Header Response Status	A=Accepted R=Rejected	M
202-B2	Service Provider ID Qualifier	01=NPI	M
201-B1	Service Provider ID	NPI	M
401-D1	Date of Service		M

**Response Message Segment - Situational**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	20=Response Message	M
504-F4	Message		O

**Express Scripts Holding Company  
NCPDP Version D.0 Payer Sheet  
WellPoint Medicaid**

**Response Status Segment - Situational**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	21=Response Status	M
112-AN	Transaction Response Status	A=Approved R=Rejected	M
510-FA	Reject Count	Maximum count of 5	RW (Transaction Response Status=R)
511-FB	Reject Code		RW"R" (Transaction Response Status=R)
549-7F	Help Desk Phone Number Qualifier		O
550-8F	Help Desk Phone Number		O

**Response Claim Segment - Mandatory**

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	22=Response Claim	M
455-EM	Prescription/Service Reference Number Qualifier	1=Rx Billing	M
402-D2	Prescription/Service Reference Number		M