

Saver

## **Drugs That Require Step Therapy (ST)**

In some cases, **Express Scripts Medicare**<sup>®</sup> (PDP) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Step 1 and Step 2 drugs both treat your medical condition, we may not cover the Step 2 drug unless you try the Step 1 drug first. If the Step 1 drug does not work for you, we will then cover the Step 2 drug.

You will need authorization from Express Scripts Medicare before filling prescriptions for the Step 2 drugs shown in the following chart. Express Scripts Medicare will only provide coverage after it determines that the drug is being prescribed according to the criteria specified in the chart.

To request a review, please have your physician visit the Express Scripts online portal at esrx.com/PA. You, your appointed representative or your prescriber can also request a review by calling Express Scripts Medicare toll free at **1.844.374.7377**, 24 hours a day, 7 days a week. Customer Service is available in English and other languages. TTY users should call **1.800.716.3231**.

The formulary may change at any time. You will receive notice when necessary.

# ANTIDEPRESSANTS -SEROTONIN/NOREPINEPHRINE REUPTAKE INHIBITORS (SNRI)

#### **Products Affected**

Step 2:

- Fetzima 120 mg capsule, extended release
- Fetzima 20 mg (2)-40 mg (26) capsule, extended release, 24 hr, dose pack
- Fetzima 20 mg capsule, extended release
- Fetzima 40 mg capsule, extended release
- Fetzima 80 mg capsule, extended release
- Paxil 10 mg/5 mL oral suspension
- Viibryd 10 mg (7)-20 mg (23) tablets in a dose pack
- Viibryd 10 mg tablet
- Viibryd 20 mg tablet
- Viibryd 40 mg tablet

Criteria	If the patient has tried a Step 1 drug, then authorization for a Step 2 drug may be given. Patients who are currently taking or who have taken brand name Fetzima, Viibryd or Paxil Suspension at any time in the past and discontinued use may receive authorization without a
	trial of a step 1 product. Exceptions can be made for Fetzima, Viibryd or Paxil Suspension without a trial of a step 1 drug if the patient has suicidal ideation.

# **FEBUXOSTAT**

## **Products Affected**

#### Step 2:

- febuxostat 40 mg tablet
  febuxostat 80 mg tablet

Criteria	If the patient has tried a Step 1 drug, then authorization for a Step 2 drug may be given. Authorization for febuxostat may be given if the patient is receiving concomitant medications that have significant drug-drug interactions with the Step 1 agent (allopurinol) which are not noted with febuxostat tablets (e.g., cyclosporine, chlorpropamide).
----------	---

# **GLAUCOMA AGENTS**

## **Products Affected**

#### Step 2:

- Rhopressa 0.02 % eye drops
  Rocklatan 0.02 %-0.005 % eye drops

If the patient has tried a Step 1 drug, then authorization for a Step 2
drug may be given.

# RYTARY

#### **Products Affected**

#### Step 2:

- Rytary 23.75 mg-95 mg capsule, extended release
- Rytary 36.25 mg-145 mg capsule, extended release
- Rytary 48.75 mg-195 mg capsule, extended release
- Rytary 61.25 mg-245 mg capsule, extended release

Criteria	If the patient has tried a Step 1 drug, then authorization for a Step 2
	drug may be given.

# TRINTELLIX

## **Products Affected**

#### Step 2:

- Trintellix 10 mg tabletTrintellix 20 mg tablet
- Trintellix 5 mg tablet

Criteria	If the patient has tried a Step 1 drug, then authorization for a Step 2 drug may be given. Patients who are currently taking or who have taken a step 2 drug at any time in the past and discontinued their use may receive authorization without trials of step 1 drugs. For patients with suicidal ideation, step 1 drugs do not need to be tried.
----------	--

This page intentionally left blank

### Index