

PREFERRED SPECIALTY MANAGEMENT POLICY

- POLICY:** Chelating Agents – Iron Chelators (Oral) Preferred Specialty Management Policy
- Exjade® (deferasirox tablets for suspension – Novartis, generic)
 - Jadenu® (deferasirox tablets – Novartis, generic)
 - Jadenu® Sprinkle (deferasirox granules for oral use – Novartis, generic)
 - Ferriprox® (deferiprone tablets and oral solution – Chiesi, generic [tablets only])

REVIEW DATE: 02/05/2025

OVERVIEW

Exjade, Jadenu (granules and tablets), and Ferriprox (granules and oral solution) are orally administered iron chelators used for the treatment of **iron overload**.¹⁻⁴ Exjade and Jadenu have the same chemical entity (deferasirox) in different formulations.^{1,2}

Deferasirox (Exjade, Jadenu/Sprinkle; generics) is indicated for the following uses:^{1,2}

- **Chronic iron overload due to blood transfusions** (transfusional hemosiderosis), in patients ≥ 2 years of age.
- **Chronic iron overload with non-transfusion-dependent thalassemia syndromes**, in patients ≥ 10 years of age with a liver iron concentration of at least 5 mg of iron per gram of liver dry weight and a serum ferritin > 300 mcg/L.

Limitations of Use: The safety and efficacy of deferasirox when administered with other iron chelation therapy have not been established.^{1,2}

Deferiprone tablets (Ferriprox tablets, generic) are indicated for the following uses:³

- **Transfusional iron overload with thalassemia syndromes**, in patients ≥ 8 years of age.
- **Transfusional iron overload with sickle cell disease or other anemias**, in patients ≥ 8 years of age.

Ferriprox (deferiprone) oral solution is indicated for the following uses:⁴

- **Transfusional iron overload with thalassemia syndromes**, in patients ≥ 3 years of age.
- **Transfusional iron overload with sickle cell disease or other anemias**, in patients ≥ 3 years of age.

Limitations of Use: Safety and effectiveness of deferiprone have not been established for the treatment of transfusional iron overload in patients with myelodysplastic syndrome or in patients with Diamond Blackfan anemia.^{3,4}

Table 1. Availability of Oral Iron Chelators.¹⁻⁴

POLICY STATEMENT

This Preferred Specialty Management program has been developed to encourage the use of Preferred Products. For all products (Preferred and Non-Preferred), the patient is required to meet the respective standard *Chelating Agents – Iron Chelators (Oral) Prior Authorization Policy* criteria. The program also directs the patient to try one Preferred Product prior to the approval of a Non-Preferred Product. Requests

02/05/2025

© 2025. All Rights Reserved.

This document is confidential and proprietary. Unauthorized use and distribution are prohibited.

for Non-Preferred Products will also be reviewed using the exception criteria (below). All approvals are provided for the duration noted below.

Automation: None.

Preferred Products: Generic deferasirox tablets, generic deferasirox tablets for suspension, generic deferasirox granules, generic deferiprone tablets

Non-Preferred Products: Exjade, Ferriprox (tablets and oral solution), Jadenu, Jadenu Sprinkle

RECOMMENDED EXCEPTION CRITERIA

REFERENCES

1. Exjade® tablets for suspension [prescribing information]. East Hanover, NJ: Novartis; July 2024.
2. Jadenu® tablets and Jadenu® Sprinkle for oral use [prescribing information]. East Hanover, NJ: Novartis; July 2024.
3. Ferriprox® tablets [prescribing information]. Rockville, MD: Chiesi; July 2023.
4. Ferriprox® oral solution [prescribing information]. Rockville, MD: Chiesi; November 2021.